

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
YALE MANUFACTURER	NR045EB	2018	D861N05212S

Mast	3 Stage FFL (Triplex)	Hours	3020
Mast Height Lowered	131	Voltage	36 Volt
Mast Height Raised	302	Attachment	
Hydraulic Control Valve	3-Function	Directional Control	Lever
Capacity	4500	Tires	Cushion

Mast Condition	Inspected	Steering Pump Condition	Inspected
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition	Inspected	Hydraulic Pump Condition	Inspected
Lift Cylinder Comments		Hydraulic Pump Comments	
Tilt Cylinder Condition	Inspected	Hydraulic Motor Condition	Inspected
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition	Inspected	Control System Condition	Inspected
Carriage Comments		Control System Comments	
Load Backrest Condition	Inspected	Drive Motor Condition	Inspected
Load Backrest Comments		Drive Motor Comments	
Forks Condition	Inspected	Differential Condition	
Forks Comments		Differential Comments	
Overhead Guard Condition	Inspected	Drive Tires % Remaining	50
Overhead Guard Comments		Drive Tires Condition	Inspected
Seat Condition		Steer Tires % Remaining	
Seat Comments		Steer Tires Condition	Not-Selected
General Appearance Condition	Inspected	Steer Axle Condition	Inspected
General Appearance Comments		Steer Axle Comments	
General Comments		Brakes Condition	Inspected
		Brakes Comments	

Battery Present	Yes
Charger Present	No
Electrical Condition	Inspected
Electrical Comments	

Inspector Company Name	Inspection Date	7/5/2023 10:20:09 AM
Inspector Name	jlew	

(* Legend: =Checked OK)
Inspected



WARNING

Only Trained Operators and Mechanics Only

Read Operating Manual located on or near seat.

When lifting or lowering a load, slow operating. Inspection and maintenance instructions can prevent serious injury or death!

Yale

Model: NR045EBND3RTE131
Serial Number: U861A052125

Approximate Fork Length: 1067 mm (42 in)
Fork

Type: ED 36 Viper Max. A.H. 1240

Truck Weight Less Battery: 2990 kg (6570 lb)

Truck Weight Max. Allowable: 3000 kg (6620 lb)

Allowable Battery Weight: 1070 kg (2350 lb)

Base Width: 1146 mm (45.3 in)

Wheel Base: 1457 mm (57.4 in)



5C4D8767D

MAXIMUM CAPACITY	Load Height	Dim. A	Load Center		
			Dim. B	Dim. C	Dim. D
1460 kg (3200 lb)	7680 mm (302 in)	610 mm (24 in)	610 mm (24 in)	51 mm (2.0 in)	
2040 kg (4500 lb)	4900 mm (193 in)	610 mm (24 in)	610 mm (24 in)		









