

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
YALE MANUFACTURER	MPE060-F	2014	C896N02058M

Mast	6 Lift Pallet	Hours	1102
Mast Height Lowered		Voltage	24 Volt
Mast Height Raised		Attachment	
Hydraulic Control Valve		Directional Control	Lever
Capacity	6000	Tires	Cushion

Mast Condition	Not applicable	Steering Pump Condition	Not applicable
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition		Hydraulic Pump Condition	
Lift Cylinder Comments		Hydraulic Pump Comments	
Tilt Cylinder Condition	Not applicable	Hydraulic Motor Condition	
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition	Not applicable	Control System Condition	
Carriage Comments		Control System Comments	
Load Backrest Condition	Not applicable	Drive Motor Condition	
Load Backrest Comments		Drive Motor Comments	
Forks Condition		Differential Condition	
Forks Comments		Differential Comments	
Overhead Guard Condition	Not applicable	Drive Tires % Remaining	85
Overhead Guard Comments		Drive Tires Condition	
Seat Condition	Not applicable	Steer Tires % Remaining	
Seat Comments		Steer Tires Condition	Not-Selected
		Steer Axle Condition	Not applicable
		Steer Axle Comments	
General Appearance Condition		Brakes Condition	
General Appearance Comments		Brakes Comments	
General Comments		Battery Present	Yes
		Charger Present	
		Electrical Condition	
		Electrical Comments	

Inspector Company Name	Briggs Equipment	Inspection Date	9/2/2019 8:00:00 PM
Inspector Name	rowens		

(* Legend: =Checked OK)




Yale

FOREMOST.

NOTICE
AMSO

CAUTION
& PRECAUTION

CAUTION
READ INSTRUCTIONS
BEFORE OPERATING











WING

rs and
nly

ating
ted on
over

ing,
ance

UCK

Model MPE060LFN24T2748

Serial Number C896N02058M

Battery Type E 24 Volts Max A.H. 600

Truck Weight Less Battery 549 kg (1210 lb)

Truck Weight Max Battery 1,048 kg (2,310 lb)

Minimum Battery Weight 227 kg (500 lb)

Maximum Battery Weight 499 kg (1100 lb)

MAXIMUM CAPACITY 2,721 kg (6000 lb)

As to fire and electric shock hazards only.

Type E industrial truck

No. 162G

IMPORTANT

Restrain battery from any hazardous use.

