

CONDITION REPORT - INTERNAL COMBUSTION

Manufacturer	Model	Year	Serial Number
HYSTER COMPANY	S50FT	2016	H187V04322P

Mast	3 Stage FFL (Triplex)	Hours	13366
Mast Height Lowered	83"	Fuel	LP Gas
Mast Height Raised	189"	Attachment	Single-Double
Hydraulic Control Valve	4-Function	Directional Control	Lever
Capacity	5000	Tires	Cushion

Mast Condition		Engine	Other
Mast Comments		Engine Inspected Condition	
Lift Cylinder Condition		Engine Inspected Comments	
Lift Cylinder Comments		Radiator Condition	
Tilt Cylinder Condition		Radiator Comments	
Tilt Cylinder Comments		Transmission/MDU Condition	
Carriage Condition		Transmission/MDU Comments	
Carriage Comments			
Load Backrest Condition	Not applicable	Steering Pump Condition	
Load Backrest Comments	NA	Steering Pump Comments	
Forks Condition		Hydraulic Pump Condition	
Forks Comments		Hydraulic Pump Comments	
		Hydraulic Motor Condition	
Overhead Guard Condition		Hydraulic Motor Comments	
Overhead Guard Comments		Control System Condition	
		Control System Comments	
Seat Condition			
Seat Comments		Differential Condition	
		Differential Comments	
General Appearance Condition		Drive Tires % Remaining	40%
General Appearance Comments		Drive Tires Condition	Chunked
		Steer Tires % Remaining	40%
General Comments		Steer Tires Condition	Chunked
<div style="border: 1px solid black; padding: 5px;"> Lot of hours. Well maintained. </div>		Steer Axle Condition	
		Steer Axle Comments	
		Brakes Condition	
		Brakes Comments	
		Electrical Condition	
		Electrical Comments	

Inspector Company Name	Pape Material Handling	Inspection Date	11/19/2019 7:00:00 PM
Inspector Name	bhayward		

(* Legend: =Checked OK)

WARNING

Qualified Operators and Mechanics Only

Read Operating Manual located on seat or in operators compartment

Failure to follow operating, inspection, and maintenance instructions can cause serious injury or death!

CAPACITY WITH MAST VERTICAL AND EQUIPPED AS SHOWN



Lift Truck Model **S50FT**

Serial No. **H187V04322P**

Attachment: 978 mm (38.5 in) STDHD Carriage + Cascade Double Pallet Handler 22G-FDS-259

Truck Weight **4470 kg (9840 lb)**

Tread Width **890 mm (35.1 in)**

Back Tilt **5.0 Degrees**

Tire Front Rear
 Size **21X7X15 Cushion** **16X5X10.5 Cushion**
 Pressure

MAXIMUM CAPACITY	Load Height Dim. A	Load Center	
		Dim. B	Dim. C
1680 kg (3700 lb)	4800mm (189 in)	310 mm (24 in)	610 mm (24 in)
1730 kg (3800 lb)	4350 mm (171.3 in)	610 mm (24 in)	610 mm (24 in)



Check Operator Instructions

Do not touch Transmission

87	88	89	TOTAL UNITS	90	91	92	93	94	95	96	97	98	99	TOTAL UNITS
				80	81	82	83	84	85	86	87	88	89	
														80

TR
 • A
 • e
 • STOP
 • ENGIN
 Any po
 • Contact
 truck-ca











