

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number	Corrected
YALE MANUFACTURER	MPE060	2014	C896N02136M	C896n02136m

Mast	6 Lift Pallet	Hours	908
Mast Height Lowered		Voltage	24 Volt
Mast Height Raised		Attachment	Fork Positioner
Hydraulic Control Valve		Directional Control	
Capacity	6000	Tires	

Mast Condition		Steering Pump Condition	
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition		Hydraulic Pump Condition	
Lift Cylinder Comments		Hydraulic Pump Comments	
Tilt Cylinder Condition		Hydraulic Motor Condition	
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition		Control System Condition	
Carriage Comments		Control System Comments	
Load Backrest Condition			
Load Backrest Comments		Drive Motor Condition	
Forks Condition		Drive Motor Comments	
Forks Comments		Differential Condition	
		Differential Comments	
Overhead Guard Condition		Drive Tires % Remaining	
Overhead Guard Comments		Drive Tires Condition	
		Steer Tires % Remaining	
Seat Condition		Steer Tires Condition	Not-Selected
Seat Comments		Steer Axle Condition	
		Steer Axle Comments	
General Appearance Condition		Brakes Condition	
General Appearance Comments		Brakes Comments	
General Comments		Battery Present	Yes
		Charger Present	
		Electrical Condition	
		Electrical Comments	

Inspector Company Name		Inspection Date	10/16/2019 4:29:05 PM
Inspector Name	Nicole Griffin		

(* Legend: =Checked OK)

Yale

Lift Truck Model **MPE060LFN24T2748**

Serial Number **C896N02136M**

~~Battery~~ Type **E** 24 Volts Max A.H. **600**

Truck Weight Less Battery **549 kg (1210 lb)**

Truck Weight Max Battery **1,048 kg (2,310 lb)**

Minimum Battery Weight **227 kg (500 lb)**

Maximum Battery Weight **499 kg (1100 lb)**

MAXIMUM CAPACITY **2,721 kg (6000 lb)**



As to fire and electric shock hazards only

Type E industrial truck

No 162G

IMPORTANT

Restrain battery from any horizontal movement of 1/2 inch (12.5 mm)



