

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
HYSTER COMPANY	E40HSD2	2014	B219N02516M

Mast	Hours	5334
Mast Height Lowered	Voltage	36 Volt
Mast Height Raised	Attachment	
Hydraulic Control Valve	Directional Control	
Capacity	Tires	

Mast Condition	Steering Pump Condition
Mast Comments	Steering Pump Comments
Lift Cylinder Condition	Hydraulic Pump Condition
Lift Cylinder Comments	Hydraulic Pump Comments
Tilt Cylinder Condition	Hydraulic Motor Condition
Tilt Cylinder Comments	Hydraulic Motor Comments
Carriage Condition	Control System Condition
Carriage Comments	Control System Comments
Load Backrest Condition	Drive Motor Condition
Load Backrest Comments	Drive Motor Comments
Forks Condition	Differential Condition
Forks Comments	Differential Comments

Overhead Guard Condition	Drive Tires % Remaining	
Overhead Guard Comments	Drive Tires Condition	Chunked

Seat Condition	Not applicable	Steer Tires % Remaining
Seat Comments		Steer Tires Condition
		Steer Axle Condition
		Steer Axle Comments
General Appearance Condition	Fair	Brakes Condition
General Appearance Comments	Corrosion	Brakes Comments

General Comments	Battery Present	Yes
	Charger Present	

NO FIRE EXT PRESENT - NOT SURE IF SPEC'D TO HAVE ONE PRIOR TO DELIVERY DRIVE TIRES NEED TO BE REPLACED

Electrical Condition
Electrical Comments

Inspector Company Name	BRIGGS EQUIPMENT	Inspection Date	6/6/2019 3:11:23 PM
Inspector Name	Christian Dano		

(* Legend: =Checked OK)



0.0mph 4
5334h

- Battery icon
- Wrench icon
- Thermometer icon
- Person icon
- Warning triangle icon

HYDRA-BOOST

HYDRA-ENERGY





WARNING

Trained Operators and Mechanics Only



Read Operating Manual located on seat or in operators compartment

Failure to follow operating, inspection, and maintenance instructions can cause serious injury or death!

CAPACITY WITH MAST VERTICAL AND EQUIPPED AS SHOWN



Lift Truck Model **E40HSD2-21**

Serial No. **B219N02516M**

Attachment: **978 mm (39 in) SS Crg + 1067 mm (42 in) Forks**

Truck Wt. Less Battery **3180 kg (7000 lb)** Type E 36 Volts
Truck Wt. Max Battery **4560 kg (10050 lb)** Max A.H.(6 Hr Rt)1240
Allowable Battery Wt. **1220 kg (2690 lb) to 1380 kg (3050 lb)**
Tread Width **890 mm (35 in)** Back Tilt **5 Degrees**

Tire Front Rear
Size **18X7X12-1/8 Cushion** **10.00X5X6.5 Poly 92 Duro**
Pressure ---

MAXIMUM CAPACITY	Load Height Dim. A	Load Center	
		Dim. B	Dim. C
1750 kg (3850 lb)	4750mm (187 in)	610 mm (24 in)	610 mm (24 in)
kg (lb)	mm (in)	mm (in)	mm (in)













