

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
YALE MANUFACTURER	MPE060-F	2014	C896N02060M

Mast	Hours	523
Mast Height Lowered	Voltage	
Mast Height Raised	Attachment	
Hydraulic Control Valve	Directional Control	
Capacity	Tires	

Mast Condition	Not applicable	Steering Pump Condition	Not applicable
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition	Not applicable	Hydraulic Pump Condition	Not applicable
Lift Cylinder Comments		Hydraulic Pump Comments	
Tilt Cylinder Condition	Not applicable	Hydraulic Motor Condition	Not applicable
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition	Not applicable	Control System Condition	
Carriage Comments		Control System Comments	
Load Backrest Condition	Not applicable	Drive Motor Condition	
Load Backrest Comments		Drive Motor Comments	
Forks Condition		Differential Condition	
Forks Comments		Differential Comments	
Overhead Guard Condition	Not applicable	Drive Tires % Remaining	
Overhead Guard Comments		Drive Tires Condition	Not applicable
Seat Condition	Not applicable	Steer Tires % Remaining	
Seat Comments		Steer Tires Condition	
General Appearance Condition	Good	Steer Axle Condition	
General Appearance Comments		Steer Axle Comments	
		Brakes Condition	Not applicable
		Brakes Comments	

General Comments

Inspected by Brian Wittenberger 10/17/19 - hard copy of inspection under images tab

Battery Present	Yes
Charger Present	
Electrical Condition	
Electrical Comments	

Inspector Company Name	Eastern Lift Truck	Inspection Date	10/22/2019 10:26:10 AM
Inspector Name	Wendy Davis		

(* Legend: =Checked OK)





NING

ors and
Only

erating
located on
t cover

erating,
ntenance
use
ath!

TRUCK
OWN

Yale

Lift Truck Model MPE050LFN24T2748

Serial Number C896N02060M

Battery Type E 24 Volts Max A.H. 600

Truck Weight Less Battery 549 kg (1210 lb)

Truck Weight Max Battery 1,048 kg (2,310 lb)

Minimum Battery Weight 227 kg (500 lb)

Maximum Battery Weight 499 kg (1100 lb)

MAXIMUM CAPACITY 2,721 kg (6000 lb)



As to fire and electric shock hazards only.

Type E industrial truck

No. 162G


IMPORTANT

Restrain battery from any horizontal movement of 1/2 inch total.

574 8608



SERIAL NUMBER
NÚMERO DE SERIE
NUMÉRO DE SÉRIE



MADE IN U.S.A./HECHO EN E.U.A./FABRIQUÉ AUX E.U.

RMF794277

811320

ING

s and
nly

ting
ated on
over

ting,
enance

RUCK
OWN

Yale

Lift Truck Model MPD LFN24T2748

Serial Number C896N02060M

Battery Type E 24 Volts Max A.H. 600

Truck Weight Less Battery 549 kg (1210 lb)

Truck Weight Max Battery 1,048 kg (2,310 lb)

Minimum Battery Weight 227 kg (500 lb)

Maximum Battery Weight 499 kg (1100 lb)

MAXIMUM CAPACITY	2,721 kg (6000 lb)
-------------------------	---------------------------



As to fire and electric shock hazards only.
Type E industrial truck
No. 162G

IMPORTANT
Restrain battery from any horizontal movement of 1/2 inch total.

11 8601 11 8601

Eversys
Quality
Approved
DB

SERIAL NUMBER
NÚMERO DE SERIE
NUMÉRO DE SÉRIE



MADE IN U.S.A./HECHO EN E.U.A./FABRIQUÉ AUX E.U.

RMF794277

811320

GRT

5





Yale

9/18/18



ALWAYS WEAR YOUR SEATBELT

NEVER DRINK AND DRIVE

NEVER DRIVE UNDER THE INFLUENCE OF DRUGS

NEVER DRIVE WHILE TALKING ON A CELL PHONE

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK

NEVER DRIVE WHILE OPERATING A FORKTRUCK



