

# CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
HYSTER COMPANY	J40XNT	2013	K160N03427L

Mast	3 Stage FFL (Triplex)	Hours	9199
Mast Height Lowered	82	Voltage	36 Volt
Mast Height Raised	187	Attachment	S/S Fork Positioner
Hydraulic Control Valve	4-Function	Directional Control	Lever
Capacity	4000	Tires	Solid Pneumatic

Mast Condition	Needs chains/hoses	Steering Pump Condition	
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition		Hydraulic Pump Condition	
Lift Cylinder Comments		Hydraulic Pump Comments	
Tilt Cylinder Condition		Hydraulic Motor Condition	
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition		Control System Condition	
Carriage Comments		Control System Comments	
Load Backrest Condition		Drive Motor Condition	
Load Backrest Comments		Drive Motor Comments	
Forks Condition		Differential Condition	
Forks Comments		Differential Comments	
Overhead Guard Condition		Drive Tires % Remaining	60
Overhead Guard Comments		Drive Tires Condition	
Seat Condition		Steer Tires % Remaining	75
Seat Comments		Steer Tires Condition	
General Appearance Condition		Steer Axle Condition	
General Appearance Comments		Steer Axle Comments	
General Comments		Brakes Condition	
		Brakes Comments	
		Battery Present	Yes
		Charger Present	Yes
		Electrical Condition	
		Electrical Comments	

REAR LIGHT REFLECTORS DAMAGED

Inspector Company Name	MH EQUIPMENT	Inspection Date	2/19/2019 1:10:49 PM
Inspector Name	Jmarzian		

(\* Legend: =Checked OK)



HYSTER

17

JOHN DEERE  
RETURNABLE CONTAINER  
HANDLE WITH CARE





**HYSTER**

**EXIT**

**STER**







