

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
HYSTER COMPANY	E50XN	2014	A268N12399M

Mast		Hours	7090
Mast Height Lowered	83	Voltage	48 Volt
Mast Height Raised	189	Attachment	
Hydraulic Control Valve Capacity	3-Function	Directional Control	Monotrol
		Tires	

Mast Condition	Steering Pump Condition	
Mast Comments	Steering Pump Comments	
Lift Cylinder Condition	Hydraulic Pump Condition	
Lift Cylinder Comments	Hydraulic Pump Comments	
Tilt Cylinder Condition	Hydraulic Motor Condition	
Tilt Cylinder Comments	Hydraulic Motor Comments	
Carriage Condition	Control System Condition	
Carriage Comments	Control System Comments	
Load Backrest Condition		
Load Backrest Comments	Drive Motor Condition	
Forks Condition	Drive Motor Comments	
Forks Comments	Differential Condition	
	Differential Comments	
Overhead Guard Condition	Drive Tires % Remaining	60
Overhead Guard Comments	Drive Tires Condition	
	Steer Tires % Remaining	60
Seat Condition	Steer Tires Condition	
Seat Comments	Steer Axle Condition	
	Steer Axle Comments	
General Appearance Condition	Brakes Condition	
General Appearance Comments	Brakes Comments	

General Comments

Battery Present	Yes
Charger Present	No
Electrical Condition	
Electrical Comments	

Inspector Company Name	PAPE MATERIAL HANDLING	Inspection Date	10/14/2019 1:39:57 PM
Inspector Name	Derick Guzman		

(* Legend: =Checked OK)

WARNING

Trained Operators and Mechanics Only



Read Operating Manual located on seat or in operators compartment

Failure to follow operating, inspection, and maintenance instructions can cause serious injury or death!

CAPACITY WITH MAST VERTICAL AND EQUIPPED AS SHOWN



Lift Truck Model **E50XN-33**

Serial No. **A268N12399M**

Attachment: 978 mm (39 in) SS Crg + 1067 mm (42 in) Forks

Truck Wt. Less Battery **3020 kg (6660 lb)** Type **E 48 Volls**
 Truck Wt. Max Battery **4800 kg (10570 lb)** Max A.H.(6 Hr Rt) **1300**
 Allowable Battery Wt. **1310 kg (2900 lb) to 1770 kg (3900 lb)**
 Tread Width **890 mm (35.2 in)** Back Tilt **5 Degrees**

<u>Tire</u>	<u>Front</u>	<u>Rear</u>
Size	21X7X15 Cushion	16X5X10.5 Cushion
Pressure	---	---

MAXIMUM CAPACITY	Load Height Dim. A	Load Center	
		Dim. B	Dim. C
2110 kg (4650 lb)	4800mm (189 in)	610 mm (24 in)	610 mm (24 in)
2180 kg (4800 lb)	4350 mm (171.3 in)	610 mm (24 in)	610 mm (24 in)







