

# CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number	Corrected
HYSTER COMPANY	E50XN	2016	A268N18542P	A268N18542P

Mast	3 Stage FFL (Triplex)	Hours	460
Mast Height Lowered		Voltage	36 Volt
Mast Height Raised		Attachment	Single-Double
Hydraulic Control Valve	4-Function	Directional Control	Lever
Capacity	5000	Tires	Cushion

Mast Condition		Steering Pump Condition	
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition		Hydraulic Pump Condition	
Lift Cylinder Comments		Hydraulic Pump Comments	
Tilt Cylinder Condition		Hydraulic Motor Condition	
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition		Control System Condition	
Carriage Comments		Control System Comments	
Load Backrest Condition		Drive Motor Condition	
Load Backrest Comments		Drive Motor Comments	
Forks Condition		Differential Condition	
Forks Comments		Differential Comments	
Overhead Guard Condition		Drive Tires % Remaining	90
Overhead Guard Comments		Drive Tires Condition	
Seat Condition		Steer Tires % Remaining	90
Seat Comments		Steer Tires Condition	Not-Selected
General Appearance Condition	Excellent	Steer Axle Condition	
General Appearance Comments		Steer Axle Comments	
		Brakes Condition	
		Brakes Comments	

General Comments

Battery Present	Yes
Charger Present	Yes
Electrical Condition	
Electrical Comments	

Inspector Company Name	Papé MH	Inspection Date	6/25/2019 2:57:54 PM
Inspector Name	dguzman		

(\* Legend: =Checked OK)













A2-Z

220C-FDS-316

K23

SPR2112949-1

K+

[Redacted]



[Redacted]



4800 75  
2177

24 in  
@ 310 mm



Cascade Corporation • www.cascade.com • Home & Retail • www.rstcorp.com/support







