

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
HYSTER COMPANY	E40HSD2	2014	B219N02518M

Mast	Hours	7912
Mast Height Lowered	Voltage	36 Volt
Mast Height Raised	Attachment	
Hydraulic Control Valve	Directional Control	
Capacity	Tires	

Mast Condition		Steering Pump Condition
Mast Comments		Steering Pump Comments
Lift Cylinder Condition		Hydraulic Pump Condition
Lift Cylinder Comments		Hydraulic Pump Comments
Tilt Cylinder Condition		Hydraulic Motor Condition
Tilt Cylinder Comments		Hydraulic Motor Comments
Carriage Condition		Control System Condition
Carriage Comments		Control System Comments
Load Backrest Condition		
Load Backrest Comments		Drive Motor Condition
Forks Condition		Drive Motor Comments
Forks Comments		Differential Condition
		Differential Comments
Overhead Guard Condition		Drive Tires % Remaining
Overhead Guard Comments		Drive Tires Condition
		Steer Tires % Remaining
Seat Condition	Not applicable	Steer Tires Condition
Seat Comments		Steer Axle Condition
		Steer Axle Comments
General Appearance Condition	Fair	Brakes Condition
General Appearance Comments	Rust	Brakes Comments

General Comments

NO FIRE EXT PRESENT - NOT SURE IF SPEC'D WITH ONE UPON DELIVERYRIGHT HAND SIDE MOUNTED LIGHT - MISSING FRONT PLASTIC LENS MOUNT

Battery Present	Yes
Charger Present	
Electrical Condition	
Electrical Comments	

Inspector Company Name	BRIGGS EQUIPMENT	Inspection Date	6/7/2019 4:03:43 PM
Inspector Name	Christian Dano		

(* Legend: =Checked OK)







WARNING

Trained Operators and Mechanics Only



Read Operating Manual located on seat or in operators compartment

Failure to follow operating, inspection, and maintenance instructions can cause serious injury or death!

CAPACITY WITH MAST VERTICAL AND EQUIPPED AS SHOWN



Lift Truck Model E40HSD2-21

Serial No. B219N02518M

Attachment: 978 mm (39 in) SS Crg + 1067 mm (42 in) Forks

Truck Wt. Less Battery 3180 kg (6900 lb) Type E 36 Volts
 Truck Wt. Max Battery 4560 kg (10050 lb) Max A.H.(6 Hr rt) 1240
 Allowable Battery Wt. 1220 kg (2690 lb) to 1380 kg (3050 lb)
 Tread Width 890 mm (35 in) Back Tilt 5 Degrees

Tire	Front	Rear
Size	18X7X12-1/8 Cushion	10.00X5X6.5 Poly 92 Duro
Pressure		

MAXIMUM CAPACITY	Load Height Dim. A	Load Center	
		Dim. B	Dim. C
1750 kg (3850 lb)	4750mm (187 in)	610 mm (24 in)	610 mm (24 in)
kg (lb)	mm (in)	mm (in)	mm (in)















