

**CONDITION REPORT - ELECTRIC**

<b>Manufacturer</b>	<b>Model</b>	<b>Year</b>	<b>Serial Number</b>
<b>HYSTER COMPANY</b>	<b>J40XNT</b>	<b>2013</b>	<b>K160N03429L</b>

Mast	3 Stage FFL (Triplex)	Hours	9784
Mast Height Lowered	82	Voltage	36 Volt
Mast Height Raised	187	Attachment	S/S Fork Positioner
Hydraulic Control Valve	4-Function	Directional Control	Lever
Capacity	4000	Tires	Cushion

Mast Condition		Steering Pump Condition	
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition		Hydraulic Pump Condition	
Lift Cylinder Comments		Hydraulic Pump Comments	
Tilt Cylinder Condition		Hydraulic Motor Condition	
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition		Control System Condition	
Carriage Comments		Control System Comments	
Load Backrest Condition		Drive Motor Condition	
Load Backrest Comments		Drive Motor Comments	
Forks Condition	Heels worn	Differential Condition	
Forks Comments		Differential Comments	
Overhead Guard Condition		Drive Tires % Remaining	50
Overhead Guard Comments		Drive Tires Condition	
Seat Condition		Steer Tires % Remaining	60
Seat Comments		Steer Tires Condition	
General Appearance Condition		Steer Axle Condition	
General Appearance Comments		Steer Axle Comments	
General Comments		Brakes Condition	
		Brakes Comments	
		Battery Present	Yes
		Charger Present	Yes
		Electrical Condition	
		Electrical Comments	

Inspector Company Name	MH EQUIPMENT	Inspection Date	2/19/2019 11:39:45 AM
Inspector Name	Jmarzian		

(\* Legend: =Checked OK)







