

# CONDITION REPORT - ELECTRIC

<b>Manufacturer</b>	<b>Model</b>	<b>Year</b>	<b>Serial Number</b>
<b>YALE MANUFACTURER</b>	<b>MPE080-VG</b>	<b>2017</b>	<b>B287N02774R</b>

Mast	6 Lift Pallet	Hours	8678
Mast Height Lowered		Voltage	
Mast Height Raised		Attachment	
Hydraulic Control Valve		Directional Control	
Capacity	8000	Tires	

Mast Condition	Not applicable	Steering Pump Condition	Inspected
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition	Inspected	Hydraulic Pump Condition	Inspected
Lift Cylinder Comments		Hydraulic Pump Comments	
Tilt Cylinder Condition	Not applicable	Hydraulic Motor Condition	Inspected
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition	Not applicable	Control System Condition	Inspected
Carriage Comments		Control System Comments	
Load Backrest Condition	Inspected		
Load Backrest Comments		Drive Motor Condition	Inspected
Forks Condition	Inspected	Drive Motor Comments	
Forks Comments		Differential Condition	Inspected
		Differential Comments	
Overhead Guard Condition	Not applicable	Drive Tires % Remaining	
Overhead Guard Comments		Drive Tires Condition	Inspected
		Steer Tires % Remaining	
Seat Condition	Not applicable	Steer Tires Condition	Inspected
Seat Comments		Steer Axle Condition	Inspected
		Steer Axle Comments	
General Appearance Condition	Inspected	Brakes Condition	Inspected
General Appearance Comments		Brakes Comments	


General Comments

Solid Unit

Battery Present	Yes
Charger Present	
Electrical Condition	Inspected
Electrical Comments	

Inspector Company Name	FSI	Inspection Date
Inspector Name		







**Yale**

Lift Truck Model MPE080LYGN24T260  
Serial Number 0387902774R Max A 11.93h  
Battery Type E 24 Volt - 730 kg (1610 lb)  
Truck Weight Limit Battery 1,410 kg (3,110 lb)  
Truck Weight Min Battery 227 kg (500 lb)  
Minimum Battery Weight 682 kg (1,500 lb)  
Maximum Battery Weight 3,628 kg (8,000 lb)

**MAXIMUM CAPACITY**



As to for and electric shock hazards, use  
Type E industrial truck  
No. 1627E  
Warning: battery has very increased temperature at 100% state of charge

ing.  
nance  
TRUCK  
VIN



