

# CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
HYSTER COMPANY	E50XN	2014	A268N12210M


Mast	Hours	7164
Mast Height Lowered	Voltage	36 Volt
Mast Height Raised	Attachment	
Hydraulic Control Valve	Directional Control	Lever
Capacity	Tires	

Mast Condition	Steering Pump Condition	
Mast Comments	Steering Pump Comments	
Lift Cylinder Condition	Hydraulic Pump Condition	
Lift Cylinder Comments	Hydraulic Pump Comments	
Tilt Cylinder Condition	Hydraulic Motor Condition	
Tilt Cylinder Comments	Hydraulic Motor Comments	
Carriage Condition	Control System Condition	
Carriage Comments	Control System Comments	
Load Backrest Condition	Drive Motor Condition	
Load Backrest Comments	Drive Motor Comments	
Forks Condition	Differential Condition	
Forks Comments	Differential Comments	
Overhead Guard Condition	Drive Tires % Remaining	
Overhead Guard Comments	Drive Tires Condition	Flat
Seat Condition	Steer Tires % Remaining	
Seat Comments	Steer Tires Condition	Chunked
	Steer Axle Condition	
	Steer Axle Comments	
General Appearance Condition	Brakes Condition	
General Appearance Comments	Brakes Comments	
General Comments	Battery Present	Yes
	Charger Present	
	Electrical Condition	
	Electrical Comments	

BOTH DRIVE AND STEER TIRES ARE CHUNKED AND BALD - NEED REPLACING REAR MOUNTED LIGHT PACKAGE - LOOKS TO BE MISSING ITEMS - NOT SURE OF FACTORY SPECS NO FIRE EXT PRESENT - NOT SURE IF SPEC'D TO HAVE

Inspector Company Name	BRIGGS EQUIPMENT	Inspection Date	6/11/2019 4:38:20 PM
Inspector Name	Christian Dano		

(\* Legend: =Checked OK)











**WARNING**

**Trained Operators and Mechanics Only**



Read Operating Manual located on seat or in operators compartment

Failure to follow operating, inspection, and maintenance instructions can cause serious injury or death!

**CAPACITY WITH MAST VERTICAL AND EQUIPPED AS SHOWN**



Lift Truck Model **E50XN-30**

Serial No. **A268N12210M**

Attachment: **978 mm (39 in) SS Crg + 1067 mm (42 in) Forks**

Truck Wt. Less Battery **3200 kg (7050 lb)**      Type **E 36 Volts**

Truck Wt. Max Battery **4800 kg (10560 lb)**      Max A.H. (6 Hr Rt) **1500**

Allowable Battery Wt. **1130 kg (2500 lb) to 1590 kg (3510 lb)**

Tread Width **890 mm (35.2 in)**      Back Tilt **5 Degrees**

<u>Tire</u>	<u>Front</u>	<u>Rear</u>
Size	<b>21X7X15 Cushion</b>	<b>18X5X10.5 Cushion</b>
Pressure	---	---

MAXIMUM CAPACITY	Load Height Dim. A	Load Center	
		Dim. B	Dim. C
2110 kg (4650 lb)	4800mm (189 in)	610 mm (24 in)	610 mm (24 in)
2180 kg (4800 lb)	4350 mm (171.3 in)	610 mm (24 in)	610 mm (24 in)

